

# **Safety Data Sheet**

Revision Date: 01-Feb-2016

Version 3

# **1. IDENTIFICATION**

Product Identifier Product Name	Slide On/Cycle Mold Cleaner		
Other means of identification SDS #	44212		
Product Code Synonyms	44212 Natural Citrus Oil Citrus Mold Cleaner.		
UN/ID No Other Information	UN1950 Formula: 52352.		
Recommended use of the chemical	and restrictions on use		
Recommended Use Industrial mold cleaner.			
Details of the supplier of the safety data sheet Supplier Address Slide Products Inc.			
430 S. Wheeling Road Wheeling, IL 60090			
Emergency Telephone Number			
Company Phone Number	Phone: 1-847-541-7220		
Emergency Telephone (24 hr)	Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid in an aerosol

Physical State Aerosol

Odor Sweet

### **Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 2

# Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word Danger

# Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation. May cause drowsiness or dizziness May be fatal if swallowed and enters airways Flammable Aerosol



# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting

# Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### **Other Hazards**

Very toxic to aquatic life with long lasting effects

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Natural Citrus Oil Citrus Mold Cleaner. Terpene.

# **Chemical Family**

Chemical Name	CAS No	Weight-%
D-Limonene	5989-27-5	30-40
Naphtha (petroleum), hydrotreated heavy	64742-48-9	22-32
Isopropyl alcohol	67-63-0	25-30
Propane	68476-86-8	8-18

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

## First Aid Measures

Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.	
Skin Contact	Wash with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician if you feel unwell. If skin irritation persists, call a physician. Apply hand cream.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
Ingestion	Do not induce vomiting. Call a physician immediately.	
Most important symptoms and effects		

Symptoms In high concentrations, vapors and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Skin contact can lead to drying, defatting, itching, stinging and irritation. Causes eye irritation.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical

Extremely flammable. Aerosol flame projection test: >18" extension at 70 F. Aerosols may rupture violently at temperatures above 120 F.

Hazardous Combustion Products Carbon oxides.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.		
Environmental Precautions See Section 12 for additional Ecological Information		
Methods and material for containment and cleaning up		
Methods for Containment	Remove leaking container to outside disposal site.	

Methods for Clean-Up Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling	Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing vapors or mists. Do not allow contaminated clothing out of the workplace. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray near open flame. Pressurized container: Do not pierce or burn, even after use. Do not drop containers.
Conditions for safe storage, inclue	ling any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Do not store at temperatures above 120 °F. Protect from direct sunlight. Keep away from heat, sparks, and flame.

# Incompatible Materials None known.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	-

## Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas.		
Individual protection measures, such as personal protective equipment			
Eye/Face Protection	Safety glasses should always be worn in an industrial operation.		
Skin and Body Protection	Protective gloves are not required, but recommended.		
<b>Respiratory Protection</b>	No protection is ordinarily required under normal conditions of use and with adequate ventilation.		

General Hygiene Considerations Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Appearance Color

Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Aerosol Clear liquid in an aerosol Clear

 Values

 Not determined

 -96.7 °C / -142 °F

 177.8 °C / 352 °F

 Not determined

 slow

Odor Odor Threshold Sweet Not determined

Remarks · Method

Property_	Values	Remarks • Method
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	10	
Lower Flammability Limit	1	
Vapor Pressure	1 mmHg	@ 20 C
Vapor Density	4.7	
Specific Gravity	0.841	
Water Solubility	Slightly soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
VOC Content (%)	100%	

# **10. STABILITY AND REACTIVITY**

### Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

Do not puncture or incinerate cans. Avoid temperatures above 120 °F.

# Incompatible Materials

None known.

# Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2).

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye irritation.
Skin Contact	May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

# Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
D-Limonene 5989-27-5	= 4400 mg/kg(Rat)	> 5 g/kg (Rabbit)	-
lsopropyl alcohol 67-63-0	= 1870 mg/kg(Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³(Rat)4 h

#### Information on physical, chemical and toxicological effects

#### Symptoms

In high concentrations, vapors and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Causes eve irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
D-Limonene 5989-27-5		Group 3		Х
Isopropyl alcohol 67-63-0		Group 3		Х

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

Aspiration hazard

May be fatal if swallowed and enters airways.

#### Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects. Contains no ozone depleting chemicals.

## Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
D-Limonene 5989-27-5		0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50		
Naphtha (petroleum), hydrotreated heavy 64742-48-9		2200: 96 h Pimephales promelas mg/L LC50		2.6: 96 h Chaetogammarus marinus mg/L LC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	1400000: 96 h Lepomis macrochirus μg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50

#### Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

# <u>Mobility</u>

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05
Propane 68476-86-8	<=2.8

# **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

# Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of in accordance with federal, state and local regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
D-Limonene	Toxic
5989-27-5	
Isopropyl alcohol	Toxic
67-63-0	Ignitable

# **14. TRANSPORT INFORMATION**

Note	Based on package size, product may be eligible for limited quantity exception.
DOT UN/ID No Proper Shipping Name Hazard Class	UN1950 Aerosols 2.1
IATA UN/ID No Proper Shipping Name Hazard Class	UN1950 Aerosols, flammable 2.1
IMDG_ UN/ID No Proper Shipping Name Hazard Class	UN1950 Aerosols 2.1

# **15. REGULATORY INFORMATION**

# International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
D-Limonene	Present	Х		Present		Present	Х	Present	Х	Х
Naphtha (petroleum), hydrotreated heavy	Present	Х		Present			Х	Present	Х	Х
Isopropyl alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Propane	Present	Х		Present			Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	27	1.0

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol	Х	Х	Х
67-63-0			

## **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 1	Flammability Not determined Flammability 3	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	<b>Special Hazards</b> Not determined <b>Personal Protection</b> B
Issue Date: Revision Date:	01-Sep- 01-Feb-			

Isopar reclassification

Disclaimer

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet