

## Issue Date: 01-Sep-2012

Revision Date: 31-Mar-2015

Version 1

1. IDENTIFICATION		
Product Identifier Product Name	Slide Bulk DFL	
Other means of identification SDS #	411BULK	
Product Code UN/ID No	411HBULK (SDS applies to pint, 1G, 5G, and 55G sizes) UN1993	
Recommended use of the chemica Recommended Use	I and restrictions on use Industrial mold release.	
Details of the supplier of the safety Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090	<u>data sheet</u>	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-847-541-7220 Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International)	

2. HAZARDS IDENTIFICATION

1-800-535-5053 (North America)

Appearance Pale, tan liquid

Physical State Liquid

Safety Data Sheet

## **Classification**

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 2

## Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

## Signal Word Danger

## Hazard Statements

Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. — No smoking Use only outdoors or in a well-ventilated area Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

## Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

## Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Keep cool

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Unknown Acute Toxicity

6% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	90-99
PTFE Solid	68604-99-9	3-10

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

## First Aid Measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects

Symptoms	May be harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness.
	uizziness.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Remove leaking container to outside disposal site.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges.

#### Conditions for safe storage, including any incompatibilities

# Storage ConditionsStore locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible Materials None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm
07-03-0	1 WA. 200 ppm	(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm	STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

## Appropriate engineering controls

Engineering Controls Mechanical (general) recommended.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Proper eye care is needed in all industrial operations.
Skin and Body Protection	Not needed.
<b>Respiratory Protection</b>	Not needed with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Pale, tan liquid Pale tan	Odor Odor Threshold	Not determined Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point	<u>Values</u> Not determined <-67.8 ℃ / <-90 °F 39.4-40.6 ℃ / 103-105 °F 11.7 ℃ / 53 °F	Remarks • Method	
Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit	>1.7 Liquid-Not applicable 10.0% 1.0%	Minutes	
Vapor Pressure Vapor Density Specific Gravity Water Solubility	350 mm Hg >1 0.791 Nil	(Air=1) (Water = 1)	
Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity	Not determined Not determined Not determined Not determined Not determined		
Dynamic Viscosity Explosive Properties Oxidizing Properties VOC Content	Not determined Not determined Not determined 96%		

## **10. STABILITY AND REACTIVITY**

## Reactivity

Not reactive under normal conditions.

## Chemical Stability

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

## **Conditions to Avoid**

Open flames and hot glowing objects.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

## **Product Information**

Eye Contact	Causes serious eye irritation		
Skin Contact	Avoid contact with skin.		
Inhalation	Do not inhale.		
Ingestion	May be harmful if swallowed.		

## **Component Information**

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
	Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³(Rat)4 h

## Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		Х
67-63-0				
Legend				

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens" OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

STOT - single exposure

May cause drowsiness or dizziness.

## Numerical measures of toxicity

Not determined

**Unknown Acute Toxicity** 

6% of the mixture consists of ingredient(s) of unknown toxicity.

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 1400000: 96 h Lepomis macrochirus μg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## <u>Mobility</u>

Chemical Name	Partition Coefficient
Isopropyl Alcohol	0.05
67-63-0	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

## **14. TRANSPORT INFORMATION**

<u>DOT</u> UN/ID No Proper Shipping Name When shipped in containers of .3 gallons (1 L) or less this material may be reclassified in accordance with DOT regulation 49 CFR 173.150/ IATA DGR packing instruction Y341/ IMDG Code 3.4 as: Limited Quantity.

TUN/ID NoUN1993Proper Shipping NameFlammable liquids, n.o.s., (Isopropanol)Hazard Class3

## <u>IATA</u>

Note

UN/ID No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s., (isopropanol)
Hazard Class	3
Packing Group	II

# IMDG

UN/ID No Proper Shipping Name Hazard Class Packing Group UN1993 Flammable liquid, n.o.s., (isopropanol) 3 II

## **15. REGULATORY INFORMATION**

## International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl Alcohol	Present	Х		Present		Present	Х	Present	Х	Х
PTFE Solid	Present	Х		Present				Present		Х

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

## SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	90-66	1.0

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	Х	X	X
67-63-0			

## **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 2	Flammability Not determined Flammability 3	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	<b>Special Hazards</b> Not determined <b>Personal Protection</b> G
Issue Date:	01-Sep-	2012		

31-Mar-2015

New format

## Disclaimer

**Revision Date:** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**