

# Safety Data Sheet

Issue Date: 01-Sep-2012

Revision Date: 31-Mar-2015

Version 1

1. IDENTIFICATION		
<u>Product Identifier</u> Product Name	Slide Econo Spray Pin Lube and Grease 100% Grease	
Other means of identification SDS #	46000	
Product Code	46000 (SDS applies to pint, 1G, 5G, and 55G sizes)	
Recommended use of the chemical		
Recommended Use	Industrial ejector pin lubricant.	
Details of the supplier of the safety Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090	<u>data sheet</u>	
Emergency Telephone Number		
Company Phone Number	Phone: 1-847-541-7220	
Emergency Telephone (24 hr)	Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
2. HAZARDS IDENTIFICATION		

Appearance White viscous dispersion

Physical State Liquid

**Odor** Typical Aromatic

#### **Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## Other Hazards

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Severely Hydrotreated Heavy Naphthenic	64742-52-5	20-25
Petroleum Oil		
Zinc oxide	1314-13-2	1-5
Titanium(IV) Oxide	13463-67-7	1-5
Castor oil, hydrogenated, lithium salt	64754-95-6	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

## First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and eff	ects
Symptoms	Exposed individuals may experience eye tearing, redness and discomfort. Skin contact can lead to drying, defatting, itching, stinging and irritation. Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness. Irritating to mouth, throat, and stomach if ingested.
Indication of any immediate medical attention and special treatment needed	
Notes to Physician	Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling	Wash thoroughly after handling. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well- ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Do not drop.
Conditions for safe storage, inclue	ling any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Incompatible Materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Severely Hydrotreated Heavy Naphthenic	TWA: 5 mg/m <sup>3</sup> (oil mist)	TWA: 5mg/m <sup>3</sup> (oil mist)	TWA: none estab.
Petroleum Oil	STEL: 10 mg/m <sup>3</sup> (oil mist)	STEL: none estab.	STEL: none estab.
64742-52-5			
Zinc oxide	STEL: 10 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup>
1314-13-2	fraction	TWA: 15 mg/m <sup>3</sup> total dust	Ceiling: 15 mg/m <sup>3</sup> dust
	TWA: 2 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> dust and fume
		(vacated) TWA: 5 mg/m <sup>3</sup> fume	STEL: 10 mg/m <sup>3</sup> fume
		(vacated) TWA: 10 mg/m <sup>3</sup> total	-
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
		(vacated) STEL: 10 mg/m <sup>3</sup> fume	
Titanium(IV) Oxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	_	(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

- Skin and Body Protection Wear suitable protective clothing.
- **Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical	State
Appeara	nce
Color	

Liquid White viscous dispersion White

Odor Odor Threshold Typical Aromatic Not determined

Property	Values_	Remarks • Method
pH Malting Daint/Engening Daint	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	70.5 ℃ / 159 ℉	
Flash Point	Not applicable	
Evaporation Rate	Not available	
Flammability (Solid, Gas)	Flammable aerosol	
Upper Flammability Limits	7.5%	
Lower Flammability Limit	1.2%	
Vapor Pressure	137 mm Hg	
Vapor Density	Heavier than air	
Specific Gravity	0.749	(Water = 1)
Water Solubility	Nil	· · ·
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
exitering i reportiou		

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

## **Conditions to Avoid**

Do not puncture or incinerate cans. Avoid temperatures above 120 °F.

#### Incompatible Materials

None known based on information supplied.

## Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### Product Information

- Eye Contact Avoid contact with eyes.
- Skin Contact Avoid contact with skin.
- Inhalation Do not inhale.
- Ingestion Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	-	-
Titanium(IV) Oxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

#### Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.

# Numerical measures of toxicity

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Severely Hydrotreated Heavy Naphthenic Petroleum Oil 64742-52-5		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50

#### Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## Mobility

Not determined

#### Other Adverse Effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Zinc oxide	Toxic
1314-13-2	

	14. TRANSPORT INFORMATION
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Not regulated
	Not regulated
IMDG Marine Pollutant	This material may meet the definition of a marine pollutant

## **15. REGULATORY INFORMATION**

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Severely Hydrotreated Heavy Naphthenic Petroleum Oil	Present	х		Present		Present	х	Present	х	Х
Zinc oxide	Present	Х		Present		Present	Х	Present	Х	Х
Titanium(IV) Oxide	Present	Х		Present		Present	Х	Present	Х	Х
Castor oil, hydrogenated, lithium salt	Present	Х		Present			Х	Present	Х	Х

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc oxide - 1314-13-2	1314-13-2	1-5	1.0

## CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide		Х		

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Titanium(IV) Oxide - 13463-67-7	Carcinogen	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zinc oxide 1314-13-2	Х	X	Х
Titanium(IV) Oxide 13463-67-7	Х	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 2	Flammability Not determined Flammability 4	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	Special Hazards Not determined Personal Protection B
Issue Date: Revision Date: Revision Note:	01-Sep-2012 31-Mar-2015 New format			

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**