

#### Issue Date: 01-Sep-2012

Revision Date: 01-Aug-2016

Version 3

Safety Data Sheet

# **1. IDENTIFICATION**

Product Identifier Product Name	Slide Mold Shield Rust Preventive	
Other means of identification SDS #	42910	
Product Code Synonyms	42910 Rust Preventive Compound "Dry" Rust Preventive.	
UN/ID No Other Information	UN1950 Formula: 54891.	
Recommended use of the chemica Recommended Use	al and restrictions on use Industrial rust preventive.	
Details of the supplier of the safety Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090	<u>y data sheet</u>	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-847-541-7220 Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Tan liquid	Physical State Aerosol	Odor Faintly disagreeable odor
Classification		

#### **Classification**

Skin corrosion/irritation	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

# Hazards Not Otherwise Classified (HNOC) May be harmful in contact with skin

Signal Word Danger

#### Hazard Statements

Causes skin irritation Suspected of damaging fertility or the unborn child May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways Extremely flammable aerosol



#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

#### Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting

#### Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Toxic to aquatic life with long lasting effects

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Synonyms

Rust Preventative Compound "Dry" Rust Preventative. Petroleum derivative.

#### **Chemical Family**

Chemical Name	CAS No	Weight-%
Hexane	110-54-3	55-65
Propane	68476-86-8	25-35
Benzenesulfonic Acid, mono-C16-24-alkyl Derivatives	70024-71-4	5-10

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST-AID MEASURES

#### First Aid Measures

General Advice	When symptoms persist or in all cases of doubt seek medical advice.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. Get medical attention if irritation occurs.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician if you feel unwell.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Most important symptoms and ef	fects

# Symptoms Aspiration hazard: if swallowed can enter lungs and cause damage. Overexposure by inhalation may cause CNS depression- drowsiness, dizziness, confusion or loss of coordination. May cause irritation to the mucous membranes and upper respiratory tract.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam. Water.

Unsuitable Extinguishing Media Use water spray with caution to prevent the spread of flames.

#### Specific Hazards Arising from the Chemical

Extremely flammable. Pressurized container: May burst if heated. Containers may explode when heated. Vapors are heavier than air and may spread along floors. Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Oxides of sulfur. Various unidentified organic compounds.

Sensitivity to Mechanical Impact Yes. Sensitivity to Static Discharge Yes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk. Cool containers exposed to fire with water. Do not release runoff from fire control methods to sewers or waterways.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Ventilate affected area. Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8.
Environmental Precautions	Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

Methods for Containment	Remove leaking container to outside disposal site.
Methods for Clean-Up	Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

after handling. Pressurized container: Do not pierce or burn, even after use. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flam or other ignition source. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well ventilated areas. Avoid contact with skin, eyes or clothing. Always replace cap after use. Empty containers may contain flammable vapors/residue.	Advice on Safe Handling	from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flam or other ignition source. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well ventilated areas. Avoid contact with skin, eyes or clothing. Always replace cap after use.	hly ne
--	-------------------------	---	-----------

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Do not expose to temperatures exceeding 50 °C/122°F. Keep away from heat. Inspect containers periodically for defects. Protect container from physical damage. Protect from sunlight.
Incompatible Materials	Oxidizing agents. Halogenated compounds.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hexane	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm
110-54-3	S*	TWA: 1800 mg/m <sup>3</sup>	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 180 mg/m <sup>3</sup>
		(vacated) TWA: 180 mg/m <sup>3</sup>	-

#### Appropriate engineering controls

**Engineering Controls** Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapor below the OEL, suitable respiratory protection must be worn. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection W	lear eye/face protection. Goggles.
-----------------------	------------------------------------

#### Skin and Body Protection Wear suitable gloves. Wear suitable protective clothing.

**Respiratory Protection** Use NIOSH/MSHA approved respiratory protection equipment when airborne exposure limits are exceeded.

General Hygiene Considerations Do not breathe vapors or spray mist. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Tan liquid Tan	Odor Odor Threshold	Faintly disagreeable odor Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure	Values No information available $< -40 \ ^{\circ}C / <-40 \ ^{\circ}F$ 39.4-40 $\ ^{\circ}C / 103-104 \ ^{\circ}F$ No information available No information available Flammable aerosol 7.5% 1.2% 137 mmHg	<u>Remarks</u> • <u>Method</u> @ 21 ° C (70 ° F)	
Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties VOC Content (%)	Heavier than air 0.644 None No information available No information available No information available No information available Not determined No information available Pressurized container: May burst if he None known No information available		

#### **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Avoid direct sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Do not puncture or incinerate cans.

#### Incompatible Materials

Oxidizing agents. Halogenated compounds.

#### **Hazardous Decomposition Products**

Carbon oxides. Sulfur oxides. Various unidentified organic compounds.

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Causes skin irritation.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hexane	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
110-54-3			

#### Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.
----------	--

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	May be fatal if swallowed and enters airways.

#### Numerical measures of toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexane		2.1 - 2.98: 96 h Pimephales		1000: 24 h Daphnia magna
110-54-3		promelas mg/L LC50 flow-		mg/L EC50
		through		-

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### <u>Mobility</u>

Chemical Name	Partition Coefficient
Propane	<=2.8
68476-86-8	

#### Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Hexane	Toxic	
110-54-3	Ignitable	

# 14. TRANSPORT INFORMATION

<u>Note</u>	Based on package size, product may be eligible for limited quantity exception.
DOT_ UN/ID No Proper Shipping Name Hazard Class	(each not exceeding 1 L capacity) UN1950 Aerosols 2.1
IATA UN/ID No Proper Shipping Name Hazard Class	UN1950 Aerosols, flammable 2.1
<u>IMDG</u> UN/ID No Proper Shipping Name Hazard Class Marine Pollutant	UN1950 Aerosols 2.1 This material may meet the definition of a marine pollutant

# **15. REGULATORY INFORMATION**

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Hexane	Present	Х		Present		Present	Х	Present	Х	Х
Propane	Present	Х		Present			Х	Present	Х	Х
Benzenesulfonic Acid, mono- C16-24-alkyl Derivatives	Present	Х				Present	Х	Present	Х	Х

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hexane	5000 lb		RQ 5000 lb final RQ
110-54-3			RQ 2270 kg final RQ

#### <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hexane - 110-54-3	110-54-3	60	1.0

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hexane	Х	X	Х
110-54-3			

#### **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	<b>Health Hazards</b> Not determined <b>Health Hazards</b> 1	Flammability Not determined Flammability 4	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	<b>Special Hazards</b> Not determined <b>Personal Protection</b> B
Issue Date: Revision Date:	01-Sep-2012 01-Aug-2016			

New format

#### **Disclaimer**

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**