

# **Safety Data Sheet**

Issue Date: 01-Sep-2012 Revision Date: 31-Mar-2015 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Slide Bulk Quick Non-Chlorinated Mold Cleaner

Other means of identification

SDS# 409BULK

Product Code 409HBBULK (SDS applies to pint, 1G, 5G, and 55G sizes)

UN/ID No UN1206

Recommended use of the chemical and restrictions on use
Recommended Use Industrial mold cleaner.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

**Emergency Telephone Number** 

**Company Phone Number** Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical State Liquid

### Classification

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Liquids	Category 2

### **Hazards Not Otherwise Classified (HNOC)**

May be harmful in contact with skin May be harmful if inhaled

Signal Word Danger

#### **Hazard Statements**

Causes skin irritation
May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Highly flammable liquid and vapor

\_\_\_\_\_

Revision Date: 31-Mar-2015



### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Keep cool

# <u>Precautionary Statements - Response</u>

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do not induce vomiting

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### **Other Hazards**

Very toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Heptane	142-82-5	100

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. If skin irritation occurs: Get medical

advice/attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison center or doctor/physician if you feel unwell.

Ingestion Immediately call a poison center or doctor/physician. Do not induce vomiting.

#### Most important symptoms and effects

**Symptoms** May be harmful in contact with skin. May be harmful if inhaled. Causes skin irritation. May

cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Revision Date: 31-Mar-2015

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. Vapors may become explosive with accumulation.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Remove leaking container to outside disposal site.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands,

and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take

precautionary measures against static discharges. Keep cool.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Revision Date: 31-Mar-2015

**Incompatible Materials**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 1600 mg/m <sup>3</sup>	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) STEL: 2000 mg/m <sup>3</sup>	_

### Appropriate engineering controls

**Engineering Controls** Adequate ventilation needed.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses should always be worn in an industrial operation.

**Skin and Body Protection** Not required, but recommended.

**Respiratory Protection** Not needed with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear liquid Odor Not determined

Odor Threshold Not determined

ColorClearOdor ThresholdNot determined

Property Values Remarks • Method

pH Not determined
Melting Point/Freezing Point
Boiling Point/Boiling Range Not determined
70.6 °C / 159 °F

**Boiling Point/Boiling Range** 70.6  $^{\circ}$ C / 159 **Flash Point** 18F, -8C

**Evaporation Rate** Faster than ether Minutes

None

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Liquid-Not applicable
7.5%
1,2%

 Vapor Pressure
 137 mm Hg
 @ 21 ° C (70 ° F)

Vapor DensityHeavier than air(Air=1)Specific Gravity0.675(Water = 1)

Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Not determined

**Explosive Properties**Not determined

Oxidizing Properties
Not determined

VOC Content 100%

Water Solubility

\_\_\_\_\_\_

Revision Date: 31-Mar-2015

# 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### **Chemical Stability**

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** May be harmful in contact with skin. Causes skin irritation.

**Inhalation** May be harmful if inhaled.

**Ingestion** Do not ingest.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane	-	= 3000 mg/kg ( Rabbit )	= 103 g/m <sup>3</sup> (Rat) 4 h
142-82-5			

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

**STOT - single exposure** May cause drowsiness or dizziness.

**Aspiration hazard** May be fatal if swallowed and enters airways.

### **Numerical measures of toxicity**

Not determined

Revision Date: 31-Mar-2015

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Heptane		375.0: 96 h Cichlid fish mg/L		10: 24 h Daphnia magna
142-82-5		LC50		mg/L EC50

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

# **Mobility**

Chemical Name	Partition Coefficient
Heptane	4.66
142-82-5	

### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Heptane	Toxic
142-82-5	Ignitable

# 14. TRANSPORT INFORMATION

When shipped in containers of .3 gallons (1 L) or less this material may be reclassified in Note

accordance with DOT regulation 49 CFR 173.150/ IATA DGR packing instruction Y341/

IMDG Code 3.4 as: Limited Quantity.

DOT

**UN/ID** No UN1206

**Proper Shipping Name** Heptanes

**Hazard Class** 3 **Packing Group** Ш

\_\_\_\_

Revision Date: 31-Mar-2015

IATA

UN/ID No UN1206 Proper Shipping Name Heptanes

Hazard Class 3
Packing Group ||

**IMDG** 

UN/ID No UN1206
Proper Shipping Name Heptanes

Hazard Class 3
Packing Group ||

Marine Pollutant This material may meet the definition of a marine pollutant

# 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Heptane	Present	Х		Present		Present	Х	Present	Х	Х

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Heptane	X	X	X
142-82-5			

# **16. OTHER INFORMATION**

NFPA Health Hazards

Not determined Health Hazards

Flammability
Not determined
Flammability

Instability
Not determined
Physical Hazards

Special Hazards
Not determined
Personal Protection

Revision Date: 31-Mar-2015

В

Issue Date:01-Sep-2012Revision Date:31-Mar-2015Revision Note:New format

# **Disclaimer**

**HMIS** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_