

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 01-Jan-2015 Version 2

1. IDENTIFICATION

Product Identifier

Product Name Slide No-Rust Aerosol

Other means of identification

SDS # 40235

Product Code 40235
Synonyms No-Rust.
UN/ID No UN1954
Other Information Formula: 53081.

Recommended use of the chemical and restrictions on use
Recommended Use Industrial rust preventive.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Brown liquid Physical State Aerosol Odor hydrocarbon solvent

Classification

| Aspiration toxicity | Category 1 |
|---------------------|------------|
| Flammable Aerosols | Category 1 |

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word Danger

Hazard Statements

May be fatal if swallowed and enters airways Extremely flammable aerosol





40235 - Slide No-Rust cylinder Revision Date: 01-Jan-2015

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do not induce vomiting

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms No-Rust.

Chemical Family Petroleum derivative.

| Chemical Name | CAS No | Weight-% |
|--|------------|----------|
| Kerosene | 8008-20-6 | 60-70 |
| Propane | 68476-86-8 | 20-30 |
| Napthalene sulfonic acid, dinonyl, calcim salt | 57855-77-3 | 4-10 |
| Lecithin | 68910-52-1 | 1-5 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water and seek medical advice.

Skin Contact Wash off immediately with soap and plenty of water. Remove contaminated clothing and

shoes. Wash contaminated clothing before reuse. Call a physician if you feel unwell. Apply

hand cream.

Inhalation Remove to fresh air.

IngestionRinse mouth. Do not induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Symptoms Exposure by inhalation may cause giddiness, nausea, and possible narcosis. Skin contact

can lead to drying, defatting, itching, stinging and irritation. Direct contact with eyes may

cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Aerosols are under pressure. Aerosols may rupture violently at temperatures above 120 F. Aerosol flame projection test: 18" extension at 70 F.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Remove all sources of ignition. Remove leaking container to outside disposal site.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. Keep away from heat/sparks/open

flames/hot surfaces. — No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray near flame or open lights. Do not drop. Do not puncture or

incinerate cans.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct

sunlight. Do not store at temperatures above 120°F. Store locked up.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------|--|----------|----------------------------|
| Kerosene 8008-20-6 | TWA: 200 mg/m³ total hydrocarbon vapor application restricted to conditions in which there are negligible aerosol | - | TWA: 100 mg/m ³ |
| | exposures S* | | |

Revision Date: 01-Jan-2015 40235 - Slide No-Rust cylinder

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Proper eye care is needed in all industrial operations.

Skin and Body Protection Protective gloves are not required, but recommended.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol **Appearance** Brown liquid

Odor hydrocarbon solvent Color Brown **Odor Threshold** Not determined

Property Values Remarks · Method

Not determined pН

Melting Point/Freezing Point < -40 °C / <-40 °F 149-176.7 °C / 300-350 °F

Boiling Point/Boiling Range

Flash Point Not applicable **Evaporation Rate** 25 minutes Flammability (Solid, Gas) Not determined

Upper Flammability Limits 9.5 **Lower Flammability Limit** 1.0 **Vapor Pressure** 2

Vapor Density >1

Specific Gravity 0.83

Water Solubility Insoluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined Oxidizing Properties Not determined

VOC Content (%) 94%

10. STABILITY AND REACTIVITY

@ 20 C

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Avoid temperatures above 120 °F. Avoid direct sunlight. Do not spray near flame or open lights.

Revision Date: 01-Jan-2015

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 | | |
|---------------|--------------------|-------------------------|-----------------------|--|--|
| Kerosene | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.28 mg/L (Rat) 4 h | | |
| 8008-20-6 | | | , , | | |

Information on physical, chemical and toxicological effects

Symptoms Exposure by inhalation may cause giddiness, nausea, and possible narcosis. Frequent or

prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Direct

contact with eyes may cause temporary irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

| | Chemical Name | ACGIH | IARC | NTP | OSHA |
|---|---------------|-------|---------|-----|------|
| Г | Kerosene | A3 | Group 3 | | |
| | 8008-20-6 | | - | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Contains no ozone depleting chemicals. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient | |
|---------------|-----------------------|--|
| Propane | <=2.8 | |
| 68476-86-8 | | |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers

should be taken to an approved waste handling site for recycling or disposal. Dispose of in

Revision Date: 01-Jan-2015

accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

Note Domestic Ground shipping only

DOT

UN/ID No UN1954

Proper Shipping Name Compressed gas, flammable, n.o.s., (Propane)

Hazard Class 2.1

15. REGULATORY INFORMATION

International Inventories

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|--|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Kerosene | Present | Χ | | Present | | Present | Χ | Present | Χ | Χ |
| Propane | Present | Х | | Present | | | Х | Present | Х | Х |
| Napthalene sulfonic acid, dinonyl, calcim salt | Present | Х | | Present | | Present | Х | Present | Х | Х |
| Lecithin | Present | Χ | | | | | | Present | | |

Revision Date: 01-Jan-2015

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Not determined

US State Regulations

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Kerosene | X | X | X |
| 8008-20-6 | | | |

16. OTHER INFORMATION

NFPA **Health Hazards Special Hazards** Flammability Instability Not determined Not determined Not determined Not determined **Health Hazards Personal Protection Flammability Physical Hazards** HMIS 3 В

01-Sep-2012 **Issue Date: Revision Date:** 01-Jan-2015 **Revision Note:** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet