

# **Safety Data Sheet**

Issue Date: 01-Sep-2012 Revision Date: 01-Jan-2015 Version 2

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Slide Econo-Spray 3 Mold Release

Other means of identification

**SDS** # 40810

Product Code 40810

**Synonyms** Mixture, hexane and polyalkylene glycol;. Heavy Duty Paintable Release.

UN/ID No UN1950 Other Information Formula: 54924.

Recommended use of the chemical and restrictions on use
Recommended Use Industrial mold release.

Details of the supplier of the safety data sheet

**Supplier Address** Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

**Emergency Telephone Number** 

**Company Phone Number** Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Clear liquid in an aerosol

Physical State Aerosol

## Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

#### **Hazards Not Otherwise Classified (HNOC)**

May be harmful in contact with skin

Signal Word

Danger

Revision Date: 01-Jan-2015

#### **Hazard Statements**

Causes skin irritation

Causes serious eye irritation

May cause genetic defects

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Extremely flammable aerosol



## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

## Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do not induce vomiting

## **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## **Other Hazards**

Toxic to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms** Mixture, hexane and polyalkylene glycol;. Heavy Duty Paintable Release.

Chemical Family Aliphatic hydrocarbon.

Chemical Name	CAS No	Weight-%
Hexane	110-54-3	60-70
Propane	68476-86-8	25-35
Polyalkylene Glycol	9003-13-8	2-4

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

#### First Aid Measures

**General Advice** If exposed or concerned: Get medical advice/attention.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

**Skin Contact** Wash off immediately with soap and plenty of water. Remove contaminated clothing and

shoes. Wash contaminated clothing before reuse. Get medical attention if irritation occurs.

Revision Date: 01-Jan-2015

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen.

**Ingestion** Rinse mouth. Do not induce vomiting. Call a physician immediately. Drink plenty of water or

milk immediately.

## Most important symptoms and effects

Symptoms Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and

aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Skin contact can lead to drying, defatting, itching, stinging and irritation. Exposed

individuals may experience eye tearing, redness and discomfort.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Foam. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

## **Specific Hazards Arising from the Chemical**

Aerosols may rupture violently at temperatures above 120 F. Aerosol flame projection test: >18" extension at 70 F. Vapors may form explosive mixture with air.

Hazardous Combustion Products Carbon oxides.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

Methods for Containment Remove all sources of ignition. Remove leaking container to outside disposal site.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protection recommended in Section 8. Wash face,

Revision Date: 01-Jan-2015

hands, and any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray near open flame.

Pressurized container: Do not pierce or burn, even after use. Do not drop.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from direct sunlight. Do not store at temperatures above 120 °F.

Incompatible Materials None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hexane	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm
110-54-3	S*	TWA: 1800 mg/m <sup>3</sup>	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 180 mg/m <sup>3</sup>
		(vacated) TWA: 180 mg/m <sup>3</sup>	· ·

#### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses should always be worn in an industrial operation.

**Skin and Body Protection** Protective gloves are not required, but recommended.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

• •

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Aerosol

AppearanceClear liquid in an aerosolOdorNot determinedColorClearOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

PH
Not determined
Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
Not determined
For the point Point Paster than ether
Not determined

Upper Flammability Limits 7.5 Lower Flammability Limit 1.2

Vapor Pressure 137 mmHg Vapor Density Heavier than air

Specific Gravity 0.6288

Water Solubility Insoluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content (%) 97%

@ 20 C

Revision Date: 01-Jan-2015

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to Avoid**

Do not puncture or incinerate cans. Avoid temperatures above 120 °F. Avoid all possible sources of ignition.

#### **Incompatible Materials**

None known.

#### **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye irritation.

**Skin Contact** Causes skin irritation.

\_\_\_\_\_

\_\_\_\_\_

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hexane	= 25 g/kg (Rat)	= 3000 mg/kg ( Rabbit )	= 48000 ppm (Rat) 4 h
110-54-3			

## Information on physical, chemical and toxicological effects

Symptoms Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and

aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Exposed individuals may experience eye tearing, redness, and discomfort.

Revision Date: 01-Jan-2015

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Germ cell mutagenicity** May cause genetic defects.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be fatal if swallowed and enters airways.

#### **Numerical measures of toxicity**

Not determined

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects. Contains no ozone depleting chemicals.

## **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexane		2.1 - 2.98: 96 h Pimephales		1000: 24 h Daphnia magna
110-54-3		promelas mg/L LC50 flow-		mg/L EC50
		through		

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Propane	<=2.8
68476-86-8	

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers

should be taken to an approved waste handling site for recycling or disposal. Dispose of in

Revision Date: 01-Jan-2015

accordance with federal, state and local regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Hexane	Toxic
110-54-3	Ignitable

## 14. TRANSPORT INFORMATION

Note

Based on package size, product may be eligible for limited quantity exception.

**DOT** (each not exceeding 1 L capacity)

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

IATA

UN/ID No UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

**IMDG** 

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

# 15. REGULATORY INFORMATION

# International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Hexane	Present	Χ		Present		Present	Χ	Present	Χ	Χ
Propane	Present	Х		Present			Х	Present	Х	Х
Polyalkylene Glycol	Present	Х				Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Revision Date: 01-Jan-2015

#### US Federal Regulations

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hexane	5000 lb		RQ 5000 lb final RQ
110-54-3			RQ 2270 kg final RQ

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hexane - 110-54-3	110-54-3	65	1.0

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hexane	X	X	X
110-54-3			

# **16. OTHER INFORMATION**

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	4	0	В

Issue Date:01-Sep-2012Revision Date:01-Jan-2015Revision Note:New format

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**