#### MATERIAL SAFETY DATA SHEET

SLIDE PRODUCTS, INC. 430 S. WHEELING ROAD WHEELING, IL 60090

### PRODUCT NAME: SLIDE PLASTIC CLEANER WIPES WITH FOAMACTION

EMERGENCY TELEPHONE #: 800-535-5053 REVISION DATE: SEPT. 1, 2012 INFORMATION TELEPHONE: 847-541-7220 PRODUCT NUMBER: 41570 PAX NUMBER: 847-541-7986 D.U.N.S. NUMBER: 00-299-4168

PREPARED BY: JIM ARMSTRONG

### SECTION I. IDENTIFICATION

CHEMICAL NAME: MIXTURE

CHEMICAL FAMILY: FORMULA: 41515

SYNONYMS: PRESATURATED WIPES DOT HAZARD CLASSIFICATION: ORM-D

DOT SHIPPING NAME: CONSUMER COMMODITY

CHEMICAL ABSTRACT REGISTRY NUMBER: N/A, MIXTURE

IDENTIFICATION NUMBER: NONE

H.M.I.S. RATING: 1,1,0,A

### SECTION II. PHYSICAL DATA

BOILING POINT: N/A FREEZING POINT: 32' F.

SPECIFIC GRAVITY (H20 =1): <1.0 WEIGHT PER GALLON @ 60 F.: 8.23

VAPOR PRESSURE OF CONCENTRATE @ 130 F. (MM HG): ND

VAPOR DENSITY (AIR=1): >1

SOLUBILITY IN WATER, % BY WT.: SOLUABLE

EVAPORATION RATE (ETHER =1): ND

APPEARANCE AND ODOR: WHITE TOWEL IMPREGNATED WITH A PALE YELLOW LIQUID, FRAGRANT

**ODOR** 

# SECTION III. HAZARDOUS INGREDIENTS

MATERIAL: APPROX. WEIGHT %: CAS NUMBER: PEL(OSHA)
2-BUTOXYETHANOL 1-10 111-76-2 25 PPM
EHTYL ALCOHOL 4-20 64-17-5 1000 PPM

\*\*CONTAINS NO OZONE DEPLETING CHEMICALS\*\*

ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TSCA DIRECTORY

# SECTION IV. FIRE AND EXPLOSION HAZARD DATA

FLAMMABLE LIMITS IN AIR: LEL: 1.1 UEL: 19 (VOLUME %)

FLASH POINT: >200 F

AEROSOL FLAME PROJECTION TEST: NA

EXTINGUISHING MEDIA: DRY CHEMICAL, CO2, FOAM, AND DRY CHEMICAL SPECIAL FIRE FIGHTING PROCEDURES: SELF CONTAINED BREATHING APPARATUS

UNUSUAL FIRE & EXPLOSION HAZARDS: NONE

# SECTION V. REACTIVITY DATA

STABILITY: STABLE

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZING AGENTS, HEAT AND OPEN FLAME HAZARDOUS COMBUSTION BY-PRODUCTS: CARBON MONOXIDE AND CO2 MAY BE FORMED

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: OPEN FLAMES AND HIGH TEMPERATURES

# SECTION VI. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: 25 PPM

### EFFECTS OF OVEREXPOSURE \*

INGESTION (SWALLOWING): NOT EXPECTED TO BE A ROUTE OF ENTRY

INHALATION: EXCESSIVE INHALATION CAN PRODUCE RESPIRATORY IRRITATION

SKIN CONTACT: CONCENTRATED SPRAY MAY CAUSE DRYING, IRRITATION AND DERMATITIS

EYE CONTACT: TEMPORARY BURNING AND IRRITATION

# EMERGENCY AND FIRST AID PROCEDURES \*

SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER

INHALATION: REMOVE TO FRESH AIR LOCATION AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT.

EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES WHILE HOLDING EYELID OPEN INGESTION: CONTACT POSION CONTROL. DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO

### SECTION VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: REMOVE ALL SOURCES OF IGNITION AND VENTILATE AREA. SOAK UP SPILL WITH ABSORBANT MATERIAL. WASTE DISPOSAL METHOD: . CAN MAY BE RECYCLED OR ALTERNATIVELY REMOVED TO A SANITARY LANDFILL IN MOST LOCALITIES. CHECK APPLICABLE REGULATIONS.

### SECTION VIII. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (SPECIFY TYPE): NOT NEEDED WITH ADEQUATE VENTILATION

VENTILATION: ADEQUATE VENTILATION NEEDED

PROTECTIVE GLOVES: RECOMMENDED BUT NOT REQUIRED

EYE PROTECTION: PROPER EYE CARE SHOULD BE PRACTICED IN ALL INDUSTRIAL OPERATIONS

OTHER PROTECTIVE EQUIPMENT: AS YOUR COMPANY REQUIRES

### SECTION IX. SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE INDOORS AWAY FROM DIRECT SUNLIGHT, BELOW 120' F. DO NOT DROP, PUNCTURE OR INCINERATE.

OTHER PRECAUTIONS: FOR INDUSTRIAL USE ONLY

### SECTION X. CARCINOGENIC HAZARD

NO COMPONENT IN THIS PRODUCT HAS BEEN LISTED AS A CARCINOGEN BY IARU, N.T.P., OSHA, OR ACGIH.

THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESS OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE, AND DETERMINE WHETHER THEY ARE APPROPRIATE. THE INFORMATION CONTAINED IN THIS MATERIAL SAFETY DATA SHEET IS BELIEVED TO BE CORRECT AS OF THIS DATE. THE REGULATIONS PROMULGATED BY OSHA FOR HAZARD COMMUNICATION, 29 CFR 1910.1200, AS ERLL AS SEVERAL STATE AND LOCAL LAWS AND REGULATIONS, HAVE BEEN CONSULTED IN PREPARING THIS M.S.D.S.

http://www.slideproducts.com/cleaners.htm