

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 01-Jan-2015 Version 2

1. IDENTIFICATION

Product Identifier

Product Name Polish Cleaner "Old Yellow"

Other means of identification

SDS # 43310

Product Code 43310

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold cleaner and polish.

Details of the supplier of the safety data sheet

Supplier AddressSlide Products Inc.
430 S. Wheeling Road

430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number

Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Viscous Yellow liquid Physical State Liquid Odor Ammonia

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Signal Word Danger

Hazard Statements

Harmful if swallowed Causes skin irritation Causes serious eye damage



Precautionary Statements - Prevention

Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Crystalline silica	14808-60-7	30-35
2-Propanol	67-63-0	2-5
Oxalic acid	144-62-7	1-3
Ammonium hydroxide	1336-21-6	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eve Contact Rinse thoroughly with plenty of water, also under the eyelids. Immediately call a poison

center or doctor/physician.

Skin Contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse. If skin irritation occurs: Get medical advice/ attention.

Inhalation Remove to fresh air. Oxygen or artificial respiration if needed. Call a poison center or

doctor/physician if you feel unwell.

Ingestion Do not induce vomiting. If conscious, give 1 glass of water or milk to dilute. Call a physician

or poison control center immediately.

Most important symptoms and effects

Symptoms Causes serious eye damage. Causes skin irritation. Skin contact can lead to drying,

defatting, itching, stinging and irritation. Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness. Irritating to mouth, throat, and stomach if ingested.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do

not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from direct sunlight. Do not store at temperatures above 120°F.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Crystalline silica	TWA: 0.025 mg/m ³ respirable	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m ³ respirable
		: $(30)/(\%SiO2 + 2) \text{ mg/m}^3 \text{ TWA}$	dust
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m³ TWA	
		respirable fraction	
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
Oxalic acid	STEL: 2 mg/m ³	TWA: 1 mg/m ³	IDLH: 500 mg/m ³
144-62-7	TWA: 1 mg/m ³	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
		(vacated) STEL: 2 mg/m ³	STEL: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Minutes

Information on basic physical and chemical properties

Physical State Liquid

AppearanceViscous Yellow liquidOdorAmmoniaColorYellowOdor ThresholdNot determined

Property Values Remarks • Method

pH 10

Melting Point/Freezing Point< 0 °C / <32 °F</th>Boiling Point/Boiling RangeNot determinedFlash PointNot applicable

Evaporation Rate 25

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit

Liquid-not applicable
Not determined
Not determined

Vapor Pressure Not determined

Vapor Density >1 (Air=1) Specific Gravity >1 (Water = 1)

Water Solubility Partially soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content ~10%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Avoid temperatures above 120°F. Open flames.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Crystalline silica	= 500 mg/kg (Rat)	-	-
14808-60-7			
2-Propanol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat) 4 h
67-63-0		mg/kg (Rabbit)	
Oleic Acid	= 25 g/kg (Rat)	-	-
112-80-1			
Oxalic acid	= 7500 mg/kg (Rat)	= 20000 mg/kg (Rat)	-
144-62-7			
Ammonium hydroxide	= 350 mg/kg (Rat)	-	-
1336-21-6			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Crystalline Silica is considered to be a human carcinogen when in respirable form (dust /

powder).

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica 14808-60-7	A2	Group 1	Known	X
2-Propanol 67-63-0		Group 3		X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Propanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Oleic Acid 112-80-1		205: 96 h Pimephales promelas mg/L LC50 static		
Oxalic acid 144-62-7		4000: 24 h Lepomis macrochirus mg/L LC50 static		125 - 150: 48 h Daphnia magna mg/L EC50 Static
Ammonium hydroxide 1336-21-6		8.2: 96 h Pimephales promelas mg/L LC50		0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
2-Propanol 67-63-0	0.05
Oxalic acid 144-62-7	-0.81

Other Adverse Effects

Not determined

Ozone

Contains no ozone depleting chemicals

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
2-Propanol	Toxic
67-63-0	Ignitable
Oxalic acid	Toxic
144-62-7	
Ammonium hydroxide	Toxic
1336-21-6	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

Revision Date: 01-Jan-2015

limited quantity exception

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Crystalline silica	Present	Х		Present		Present	Х	Present	Х	Х
2-Propanol	Present	Х		Present		Present	Х	Present	Х	Χ
Oxalic acid	Present	Х		Present		Present	Х	Present	Х	Х
Ammonium hydroxide	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide	1000 lb		RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Propanol - 67-63-0	67-63-0	3.5	1.0
Ammonium hydroxide - 1336-21-6	1336-21-6	1.3	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium hydroxide	1000 lb			Χ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Crystalline silica - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Crystalline silica 14808-60-7	Х	X	Х
2-Propanol 67-63-0	Х	X	Х
Oleic Acid 112-80-1			Х
Oxalic acid 144-62-7	Х	X	Х
Ammonium hydroxide 1336-21-6	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	0	0	В

Issue Date: 01-Sep-2012 **Revision Date:** 01-Jan-2015 **Revision Note:** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet