

Safety Data Sheet

Issue Date: 01-Sep-2012 Revision Date: 01-Jan-2015 Version 2

1. IDENTIFICATION

Product Identifier

Product Name Slide Quick Paintable MR cylinder

Other means of identification

SDS # 44735E

Product Code 44735E

Synonyms Methyl butyl, methyl isopropyl, benzyl solution

Slide Quick Paintable.

UN/ID No UN1954

Recommended use of the chemical and restrictions on use
Recommended Use Industrial mold release.

Details of the supplier of the safety data sheet

Supplier Address Slide Products Inc. 430 S. Wheeling Road Wheeling, IL 60090

Emergency Telephone Number

Company Phone Number Phone: 1-847-541-7220 Fax: 1-847-541-7986

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1 000 FOE FOEO (North Accordant

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, oily, colorless liquid Physical State Aerosol Odor Slight

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable Aerosols	Category 2

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye irritation

May damage fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

Flammable Aerosol



Revision Date: 01-Jan-2015



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Methyl butyl, methyl isopropyl, benzyl solution

Slide Quick Paintable.

Chemical Family Silicone.

Chemical Name	CAS No	Weight-%
Dimethyl ether	115-10-6	65-75
n-Propyl bromide	106-94-5	25-35
Paintable Silicone Fluid	68037-77-4	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

Skin Contact Wash off immediately with soap and plenty of water. Remove contaminated clothing and

shoes. Wash contaminated clothing before reuse. Call a physician if you feel unwell. If skin

Revision Date: 01-Jan-2015

irritation occurs: Get medical advice/ attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion Drink plenty of water. Do not induce vomiting. Get medical attention if necessary.

Most important symptoms and effects

Symptoms Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and

aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Concentrated spray may cause freezing of skin area. Direct contact with eyes may

cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable by aerosol Standards. Aerosols may rupture violently at temperatures above 120 F. Vapors can form flammable mixtures in a narrow range of 4.6% to 8.5% by volume in air.

Hazardous Combustion Products Carbon oxides. Hydrogen bromide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Remove leaking container to outside disposal site. Remove all sources of ignition.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protection recommended in Section 8. Wash face,

Revision Date: 01-Jan-2015

hands, and any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not

drop, puncture, or incinerate. Do not spray on floors.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from direct sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Incompatible Materials Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-Propyl bromide 106-94-5	TWA: 10 ppm	-	-

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Proper eye care is needed in all industrial operations.

Skin and Body Protection Protective gloves are not required, but recommended. Do not use natural rubber gloves.

Respiratory Protection High vapor or mist concentrations may require a NIOSH approved organic vapor respirator.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol

AppearanceClear, oily, colorless liquidOdorSlight

Color Clear Colorless Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined

Melting Point/Freezing Point < -45.6 °C / <-50 °F

Boiling Point/Boiling Range Not available

Flash Point non-flammable per aerosol projection

test

Evaporation RateNot availableFlammability (Solid, Gas)Not determinedUpper Flammability LimitsNot applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Lower Flammability Limit

Vapor Pressure

Vapor Poneity

Not applicable

139 mmHg

Vapor Density Not available

Specific Gravity 0.78

Water Solubility Insoluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined Dynamic Viscosity Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined **VOC Content (%)** 97%

@ 20 C

Revision Date: 01-Jan-2015

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

High heat or open flames.

Incompatible Materials

Alkaline earth metals. Oxidizers. Bases. Reactive metals. Incompatible with natural rubber.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Hydrogen bromide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye irritation.

Skin Contact May be harmful in contact with skin. Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
n-Propyl bromide	= 3600 mg/kg (Rat)	-	= 253 g/m ³ (Rat) 30 min
106-94-5			

Information on physical, chemical and toxicological effects

Symptoms Irritating to mouth, throat, and stomach if ingested. In high concentrations, vapors and

aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Concentrated spray may cause freezing of skin area. Direct contact with eyes may

Revision Date: 01-Jan-2015

cause temporary irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects. Contains no ozone depleting chemicals.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
n-Propyl bromide		67.3: 96 h Pimephales		
106-94-5		promelas mg/L LC50 flow-		
		through		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Dimethyl ether 115-10-6	-0.18
n-Propyl bromide 106-94-5	2.1

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Empty fully, including gas pressure. Do not puncture or incinerate cans. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of in accordance with federal, state and local regulations.

Revision Date: 01-Jan-2015

14. TRANSPORT INFORMATION

Note Based on package size, product may be eligible for limited quantity exception.

Domestic Ground transportation only

UN1954

Proper Shipping Name Compressed gas, flammable, n.o.s. (Dimethyl Ether)

Hazard Class 2.1

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	Present	Χ		Present		Present	Χ	Present	Χ	Χ
n-Propyl bromide	Present	Х		Present		Present	Х	Present	Χ	Χ
Silicone Fluid	Present	Х				Present	Х	Present	Χ	Χ

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Revision Date: 01-Jan-2015

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
n-Propyl bromide - 106-94-5	Developmental
	Female Reproductive
	Male Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether 115-10-6	X	X	Х
n-Propyl bromide 106-94-5	Х	X	Х

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	2	0	В

Issue Date:01-Sep-2012Revision Date:01-Jan-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet